



10/033 506

C of C

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee: LIAMOS ET AL. Docket: 12008.42USD1
Patent No.: 6,942,518 B2
Issued: SEPTEMBER 13, 2005
Title: SMALL VOLUME IN VITRO ANALYTE SENSOR AND METHODS

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on February 13, 2006.

By: Kristine A. Wacek
Name: Kristine A. Wacek

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

We are transmitting herewith the attached:

- Transmittal Sheet in duplicate containing Certificate of Mailing
- Request for Certificate of Correction
- Certificate of Correction
- Return postcard

Certificate
FEB 21 2006
of Correction

Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. A duplicate of this sheet is enclosed.

Merchant & Gould P.C.
P.O. Box 2903 Minneapolis, MN 55402-0903
612.332.5300

By: Mara E. DeBoe
Name: Mara E. DeBoe
Reg. No.: 40,066
MDeBoe:PLSkaw

23552

PATENT TRADEMARK OFFICE

(PTO TRANSMITTAL - POST ISSUANCE)

FEB 22 2006




PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,942,518 B2 Docket: 12008.42USD1
Issue Date: SEPTEMBER 13, 2005 Patentee: LIAMOS ET AL.
Title: SMALL VOLUME IN VITRO ANALYTE SENSOR AND METHODS

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on February 13, 2006.

By: 
Name: Kristine A. Wacek

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

23552
PATENT TRADEMARK OFFICE

Sir:

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. One copy of the text of the Certificate in the suggested form is enclosed.

As none of the errors listed is due to Applicant's mistake, no fee is necessary in connection with this Certificate.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims, and re-examination is not required.

Respectfully submitted,

MERCHANT & GOULD P.C.
P.O. Box 2903
Minneapolis, Minnesota 55402-0903
(612) 332-5300

Date: Feb 13, 2006


Mara E. DeBoe
Reg. No. 40,066
MED:PLSkaw

FEB 22 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,942,518 B2

PAGE 1 of 1

DATED : SEPTEMBER 13, 2005

INVENTOR(S) : LIAMOS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 5, line 57: "once month or less," should read --one month or less,--

Col. 7, line 31: "a mall volume," should read --a small volume,--

Col. 23, line 28: "sensor 100 to be" should read --sensor 1100 to be--

Col. 26, line 10: " i_{thresh} , that is typically" should read -- i_{thresh} , that is typically--

Col. 26, line 12: "(e.g., $i_{thresh}=j*i_{peak}$ " should read --(e.g., $i_{thresh}=j*i_{peak}$ --

MAILING ADDRESS OF SENDER:

Merchant & Gould P.C.
Attn: Mara E. DeBoe
P.O. Box 2903
Minneapolis, MN 55402-0903

PATENT NO. 6,942,518 B2

Docket No. 12008.42USD1

No. of add'l copies

0

23552
PATENT TRADEMARK OFFICE

FEB 22 2006